


SANITARY ACCOMMODATION - HEAVY DUTY DOORSETS

General Use Timber Door ordering matrix

Rev 001IS - 16/05/2018

			NFR	FD30	FD60
		DOOR TYPE	Single Door	Single Door	Single Door
		ACCESS Security Type			
No Vision Panel	Cleaners Cupboard	Keyed Euro cylinder - Thumbturn release	-	-	442eNV
		Digital lock Manual, single face operation	-	-	442dNV
		Salto E-cylinder Single face operation	-	-	442sNV
	Accessible WC/Baby Change/Shower	Accessible turn & release Open out only	423NV	424NV	425NV
		Accessible turn & release Open in (with release doorstop)	457NV	458NV	459NV
	Duct <i>Open out only</i>	Keyed Euro cylinder - Thumbturn release	401eNV	402eNV	403eNV
		Salto Handle Set Single face proximity operation	401sNV	402sNV	403sNV
		Keyed (Concealed Frame) Euro cylinder - Thumbturn release	431eNV	-	-



FFL
▼

PULL-FACE ELEVATION

Duct Ref: **401sNV**


Salto handle set
Single action single leaf

Fire Rating **0**

No Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw**
25_{dB}

Door	44mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	Timber cill for bund wall
Ironmongery	TD31s

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
 t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



PULL-FACE ELEVATION

Duct Ref: **401eNV**


Key lockable with thumbturn release
Single action single leaf

Fire Rating **0**

No Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw**
25_{dB} 

Door	44mm SevereCore High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	Timber cill for bund wall
Ironmongery	TD31e

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



FFL

Duct Ref: **402sNV**


Salto handle set
Single action single leaf

Fire Rating **FD30**

30 Minute Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw 26dB** **50kg**

Door	44mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	None - Bund Wall
Signage	Fire door keep locked
Ironmongery	TD32s

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



PULL-FACE ELEVATION

Duct Ref: **402eNV**


Key lockable with thumbturn release
Single action single leaf

Fire Rating **FD30**

30 Minute Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw 26dB** **50kg**

Door	44mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	Timber cill for bund wall
Signage	Fire door keep locked
Ironmongery	TD32e

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Duct Ref: **403sNV**


Salto handle set
Single action single leaf

Fire Rating **FD60**

60 Minute Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw**
26dB **62kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	None - Bund Wall
Signage	Fire door keep locked
Ironmongery	TD32s54

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



FFL

Duct Ref: **403eNV**


Key lockable with thumbturn release
Single action single leaf

Fire Rating **FD60**

60 Minute Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw 26dB** **62kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	Timber cill for bund wall
Signage	Fire door keep locked
Ironmongery	TD32e

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **423NV**

Accessible turn & release
Single action single leaf - OPEN OUT ONLY


Fire Rating **0**

No Fire Rating

Handing **RH**

Right Hand Illustrated

*825mm DDA
clearance
achieved at 93°
opening angle




Details **Rw 25dB** **30kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	Accessible or Male or Female or Baby Change or Shower
Ironmongery	TD60

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **424NV**

Accessible turn & release
Single action single leaf - OPEN OUT ONLY


Fire Rating **FD30**

30 Minute Fire Rating

Handing **RH**

Right Hand Illustrated

*825mm DDA
clearance
achieved at 93°
opening angle



OPEN OUT ONLY

Details


Rw
26dB

30kg

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	FDKS / Accessible or M or F or Baby Change or Shower
Ironmongery	TD61

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **425NV**

Accessible turn & release
Single action single leaf - OPEN OUT ONLY


Fire Rating **FD60**

60 Minute Fire Rating

Handing **RH**

Right Hand Illustrated

*825mm DDA
clearance
achieved at 93°
opening angle




Details **Rw 26dB** 

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	FDKS / Accessible or M or F or Baby Change or Shower
Ironmongery	TD61

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Duct
 Concealed Frame Ref: **431eNV**


Key lockable with thumbturn release
 Single action single leaf

Fire Rating **0**

No Fire Rating


Handing **RH**

Right Hand Illustrated



Details **Rw 25dB** **50kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame (4 sided)	Engineered Hardwood - 125mm (Non Std Depths Available)
Threshold	Stainless Steel over timber cill with anti-slip strips fitted
Ironmongery	TD31eV7



Cleaners Cupboard

Ref: **442eNV**


Key lockable with thumbturn release
Single action single leaf

Fire Rating **FD60**

60 Minute Fire Rating

Handing **RH**

Right Hand Illustrated



Details


Rw
26dB

80kg

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	Fire Door Keep Shut
Ironmongery	TD35e

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Cleaners Cupboard

Ref: **442sNV**

Salto e-cylinder
Single action single leaf

Fire Rating


FD60

60 Minute Fire Rating

Handing

RH

Right Hand Illustrated



Details


Rw
26dB

30kg

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	Fire Door Keep Shut
Ironmongery	TD35s

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Cleaners Cupboard

Ref: **442dNV**


Digital locking - manual operation
Single action single leaf

Fire Rating **FD60**

60 Minute Fire Rating

Handing **RH**

Right Hand Illustrated




Details **Rw 26dB** **30kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	Fire Door Keep Shut
Ironmongery	TD35d

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **457NV**

Accessible turn & release with emergency doorstop
Double action single leaf


Fire Rating **0**

No Fire Rating

Handing **LH**

Left Hand Illustrated

*825mm DDA clearance achieved at 94° opening angle




Details **Rw <24dB** **30kg**

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	Accessible or Male or Female or Baby Change or Shower
Ironmongery	TD33FSa

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **458NV**

Accessible turn & release with emergency doorstop
Double action single leaf


Fire Rating **FD30**

30 Minute Fire Rating

Handing **LH**

Left Hand Illustrated

*825mm DDA clearance achieved at 94° opening angle



Details


Rw <24dB

80kg

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	FDKS / Accessible or M or F or Baby Change or Shower
Ironmongery	TD33FSb

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk



Accessible/WC/
Baby /Shower Ref: **459NV**

Accessible turn & release with emergency doorstop
Double action single leaf


Fire Rating **FD60**

60 Minute Fire Rating

Handing **LH**

Left Hand Illustrated

*825mm DDA clearance achieved at 94° opening angle



Details

Rw
<24dB

80kg

Door	54mm Severe-core High Pressure Laminate Hardwood Lipping
Frame	Engineered Hardwood - 125mm Deep (Non Std Depths Available)
Threshold	Max 10mm Undercut only
Signage	FDKS / Accessible or M or F or Baby Change or Shower
Ironmongery	TD33FSb

ahmarra

Copyright © 2018 Ahmarra Door Installations, All Rights Reserved
t 02392 389 076 f 02392 389 077 e gen@ahmarra.co.uk